



TECHNICAL INFORMATION ONE BAG COVERS

The next generation of cellulose insulation.™

CELLULOSE FIBER LOOSE FILL INSULATION



Net Coverage 19.7 sq. ft. at R-38

NOT FOR WET SPRAY APPLICATION

R-Value @ 75° F	Initial Installed Thickness (inches)	Minimum Thickness Settled (inches)	Bags per 1000 Square Feet 2 x 6 16" OC	Net Coverage Square Foot / Bag 2 x 6 16" OC	Bags per 1000 Square Feet No Joists	Net Coverage Square Foot / Bag	Minimum Weight per Square Foot
13	4.2	3.7	12.7	78.7	14.0	71.3	0.40
19	5.9	5.3	20.6	48.5	22.7	44.0	0.65
22	6.8	6.1	24.8	40.3	27.1	36.9	0.78
30	9.1	8.2	36.5	27.4	38.9	25.7	1.12
38	11.5	10.3	48.3	20.7	50.8	19.7	1.46
49	14.7	13.2	64.5	15.5	67.1	14.9	1.93

Initial installed thicknesses were determined according to ASTM C1374 using a Krendl Model 2000 blowing machine with shredder. Settings are not adjustable.

USE THIS CHART FOR ESTIMATING PURPOSES ONLY. JOB CONDITIONS, APPLICATIONS TECHNIQUES AND SETTINGS ON OTHER EQUIPMENT WILL INFLUENCE ACTUAL COVERAGE. DO NOT ADD WATER TO THIS PRODUCT.

IMPORTANT: PLEASE NOTE!

The unique physical characteristics of CLEAN® require that the product be installed according to the "Bags per 1,000 square feet" column on the coverage chart.



When installed as suggested in the Energy Star® Insulation Guide, this product can save energy. Ask for the Insulation Guide or call 1-888-STAR-YES.

What you should know about R-values.

The chart shows the R-value of this insulation. "R" means resistance to heat flow. The higher the R-value, the greater the insulating power. Compare insulation R-values before you buy.

There are other factors to consider. The amount of insulation you need depends mainly on the climate you live in. Also, your fuel savings from insulation will depend upon the climate, the type and size of your house, the amount of insulation already in your house and your fuel use patterns and family size. If you buy too much insulation, it will cost you more than what you'll save on fuel.

To get the marked R-value, it is essential that this insulation be installed properly.

If you do it yourself, get instructions and follow them carefully. Instructions do not come with this package. Performance characteristics indicated are dependent on conditions and methods of application and are beyond the control of the manufacturer. User or applicator would assure that installation is in accordance with the recommendations of the manufacturer.

Builder's and Applicator's Certification

This is to certify that Central Fiber CLEAN[®] cellulose fiber insulation has been installed in conformance with the labeled specifications to provide a thermal resistance value of

R-_____ using _____ bags to cover _____ square feet of living area, and

R-_____ using _____ bags to cover _____ square feet of garage ceiling

Date Company Name Applicator's Signature

Date Company Name Contractor's Signature



Dependable. Smart. Naturally.



Toll Free: 800-654-6117
Fax: (785) 883-4429
www.centralfiber.com

4814 Fiber Lane
Wellsville, KS 66092
785-883-4600

